



Aktuelle Literaturhinweise zur ALB-Bekämpfung

- 1) Allen, E. A.; Humble, L. M. (2002): Nonindigenous species introductions: a threat to Canada's forests and forest economy. *Canadian Journal of Plant Pathology* 24 (2), S. 103–110
- 2) Allison, J. D.; Bhandari, B. D.; McKenney, J. L.; Millar, J. G.; Mills, N. J. (2014): Design Factors That Influence the Performance of Flight Intercept Traps for the Capture of Longhorned Beetles (Coleoptera: Cerambycidae) from the Subfamilies Lamiinae and Cerambycinae. *PLoS ONE* 9 (3), S. e93203. DOI: 10.1371/journal.pone.0093203
- 3) Bancroft, J.S; Smith, M. T. (2005): Dispersal and influences on movement for *Anoplophora glabripennis* calculated from individual mark-recapture. *Entomol Exper Applic* 116 (2), S. 83–92
- 4) Brockerhoff, E. G.; Liebhold, A. M.; Richardson, B.; Suckling, D. M. (2010): Eradication of invasive forest insects: concepts, methods, costs and benefits. *New Zealand Journal of Forestry Science* 40, S. 117–135
- 5) Burmeister, E.-G.; Hendrich, L.; Balke, M. (2012): Der Asiatische Moschusbock *Aromia bungii* (FALDER-MANN, 1835) - Erstfund für Deutschland (Coleoptera: Cerambycidae). *Nachrichtenblatt der Bayerischen Entomologen* 61, S. 29–31
- 6) Clout, Mick N.; Williams, Peter A. (Hg.) (2009): Invasive Species Management. A Handbook of Techniques. Techniques in Ecology and Conservation Series, Oxford: Oxford University Press
- 7) Czokajlo, D.; McLaughlin, J.; Abu A., L. I.; Teale, S.A.; Wickman, J.; Warren, J. (2003): Intercept™ Panel Trap (INT PT) Effective in Management of Forest Coleoptera. A. M. Liebhold und Michael L. McManus (Hg.): Ecology, Survey and Management of Forest Insects. Krakow, Poland, September 1-5, 2002. US Department of Agriculture; Forest Service; Northeastern Research Station (General Technical Report, NE-311), S. 125–126
- 8) EPPO (2014) New Outbreak of *Anoplophora glabripennis* in Switzerland. EPPO Reporting Service 2014/141. EPPO, France
- 9) Faccoli, M.; Favaro, R.; Smith, M.T. & Wu, J. (2014): Life history of the Asian longhorn beetle *Anoplophora glabripennis* (Coleoptera Cerambycidae) in southern Europe. *Agricultural and Forest Entomology*, 17, 188–196
- 10) Favaro, R.; Wichmann, L.; Ravn, H. P.; Faccoli, M. (2015): Spatial spread and infestation risk assessment in the Asian longhorned beetle, *Anoplophora glabripennis*. *Entomol Exp Appl* 155 (2), S. 95–101
- 11) Girardoz, S.; Kenis, M.; Quicke, D. L. J. (2006): Recruitment of native parasitoids by an exotic leaf miner, *Cameraria ohridella*: host-parasitoid synchronization and influence of the environment. *Agric Forest Ent* 8 (1), S. 49–56
- 12) Girardoz, S.; Quicke, D. L. J.; Kenis, M. (2007): Factors favouring the development and maintenance of outbreaks in an invasive leaf miner *Cameraria ohridella* (Lepidoptera: Gracillariidae): a life table study. *Agric Forest Ent* 9 (2), S. 141–158
- 13) Grabenweger, G.; Kehrli, P.; Zweimüller, I.; Augustin, S.; Avtzis, N.; Bacher, S.; Freise, J.; Girardoz, S.; Guichard, S.; Heitland, W. (2010): Temporal and spatial variations in the parasitoid complex of the horse chestnut leafminer during its invasion of Europe. *Biol Invasions* 12 (8), S. 2797–2813
- 14) Graham, E. E.; Poland, T. M.; McCullough, D. G.; Millar, J. G. (2012): A Comparison of Trap Type and Height for Capturing Cerambycid Beetles (Coleoptera). *J Econ Entomol* 105 (3), S. 837–846. DOI: 10.1603/EC12053
- 15) Haack, R. A.; Hérard, F.; Sun, J., Turgeon, J. (2009): Managing Invasive Populations of Asian Longhorned Beetle and Citrus Longhorned Beetle: A Worldwide Perspective. *Annu. Rev. Entomol.* 55 (1), S. 521–546
- 16) Hawkins B. A.; Cornell H. V. (1994): Patterns of parasitoid accumulation on introduced herbivores. Bradford A.
- 17) Hawkins und William Sheehan (Hg.): Parasitoid community ecology. Oxford, Oxford University Press, S. 77–90

- 18) Hérard, F.; Ciampitti, M.; Maspero, M.; Krehan, H.; Benker, U.; Bögel, C.; Schrage, R.; Bouhot-Delduc, L.; Bialooki, P. (2006): *Anoplophora* species in Europe: infestations and management processes. *EPPO Bulletin* 36 (3), S. 470–474
- 19) Hobson, D.; Tyrrell, M. L.; Camp, A. E. (Hg.) (2003): New Threats to North American Forests. A summary of a forum and workshop exploring the impact of Asian Longhorned Beetle and Emerald Ash Borer on forests and forest-based economics. New Haven, Connecticut. Global Institute of Sustainable Forestry, YFF Review - A Yale Forest Forum Event, 6
- 20) Hu, J.; Angeli, S.; Schütz, S.; Luo, Y.; Hajek, A. E. (2009): Ecology and management of exotic and endemic Asian longhorned beetle *Anoplophora glabripennis*. *Agric Forest Ent* 11 (4), S. 359–375
- 21) Hugel, S. & Brua, C. (2009): Note sur la présence du Capricorne asiatique *Anoplophora glabripennis* (Motschulsky, 1853) en Alsace. *Bulletin de la Société Entomologique de Mulhouse*, 65, 7
- 22) Keena, M. A. (2002): *Anoplophora glabripennis* (Coleoptera: Cerambycidae) Fecundity and Longevity under Laboratory Conditions: Comparison of Populations from New York and Illinois on *Acer saccharum*. *Environ. Entomol.* 31, S. 490–498
- 23) Keena, M. A. (2006): Effects of Temperature on *Anoplophora glabripennis* (Coleoptera: Cerambycidae) Adult Survival, Reproduction, and Egg Hatch. *Environ. Entomol.* 35 (4), S. 912–921
- 24) Keena, M. A.; Moore, P. M.; Ulanecki, S. (2004): Effects of Temperature on the Biology and Behavior of *Anoplophora glabripennis* (Coleoptera: Cerambycidae). K. W. Gottschalk (Hg.): Proceedings 14th U.S. Department of Agriculture, Interagency Research Forum on Gypsy Moth and Other Invasive Species, 2003. Annapolis, MD, USA, January 14-17, 2003. US Department of Agriculture; Forest Service, Northeastern Research Station. Newtown Square, PA, General Technical Report, NE-315, S. 37
- 25) Keena, M. A.; Moore, P. M. (2010): Effects of Temperature on *Anoplophora glabripennis* (Coleoptera: Cerambycidae) Larvae and Pupae. *Environ. Entomol.* 39 (4), S. 1323–1335
- 26) Krehan, H. (2008): Asian Longhorn Beetle *Anoplophora glabripennis* (ALB) - Eradication Program in Braunau (Austria) in 2007. Proceedings of the Second Meeting of Forest Protection and Forest Phytosanitary Specialists. Vienna, Austria, November 27-28, 2007. Bundesamt und Forschungszentrum für Wald (BFW), Forstschutz aktuell: 44, S. 27–29
- 27) Lance, D., Francese, J. (2012): Evaluation of Diverse Trap Designs in a Newly Discovered Asian Long-horned Beetle Population in Bethel, OH. US Department of Agriculture und Animal and Plant Health Inspection Service (Hg.): 2011 CPHST Laboratory Report Otis Laboratory, S. 61–62
- 28) Mack, R. N.; Simberloff, D.; Lonsdale, W. M.; Evans, H.; Clout, M.; Bazzaz, F. A. (2000): Biotic invasions: causes, epidemiology, global consequences, and control. *Ecological Applications* 10, S. 689–710
- 29) MacLeod, A.; Evans, Hugh F.; Baker, Richard H. A. (2002): An analysis of pest risk from an Asian long-horn beetle (*Anoplophora glabripennis*) to hardwood trees in the European community. *Crop Protection* 21 (8), S. 635–645
- 30) Mattson, W. J. (1998): Exotic Insects in North American Forests: Ecological systems forever altered. Kerry O. Britton (Hg.): Exotic Pests of Eastern Forests. Conference Proceedings. Nashville, 8-10 April 1997. US Department of Agriculture; Forest Service, Tennessee Exotic Pest Council, S. 187–194
- 31) Meng, P. S.; Trotter, R. Talbot; Keena, M. A.; Baker, T. C.; Yan, S.; Schwartzberg, E. G.; Hoover, K. (2014): Effects of Pheromone and Plant Volatile Release Rates and Ratios on Trapping *Anoplophora glabripennis* (Coleoptera: Cerambycidae) in China. *Environ. Entomol.* 43 (5), S. 1379–1388
- 32) Nehme, M. E. (2009): Developing Monitoring Traps for the Asian Longhorned Beetle. Dissertation. The Pennsylvania State University; Department of Entomology
- 33) Nehme, M. E.; Keena, M. A.; Zhang, A.; Baker, T. C.; Hoover, K. (2009): Attraction of *Anoplophora glabripennis* to Male-Produced Pheromone and Plant Volatiles. *Environ. Entomol.* 38, S. 1745–1755
- 34) Nehme, M. E.; Keena, M. A.; Zhang, A.; Baker, T. C.; Xu, Z.; Hoover, K. (2010): Evaluating the use of Male-Produced Pheromone Components and Plant Volatiles in Two Trap Designs to Monitor *Anoplophora glabripennis*. *Environ. Entomol.* 39 (1), S. 169–176
- 35) Pimentel, D.; Lach, L.; Zuniga, R.; Morrison, D. (2000): Environmental and Economic Costs of Nonindigenous Species in the United States. *BioScience* 50 (1), S. 53–65
- 36) Simberloff, D. (2003): How Much Information on Population Biology Is Needed to Manage Introduced Species? *Conservation Biology* 17 (1), S. 83–92

- 37) Smith, M. T.; Bancroft, J.; Li, G.; Gao, R.; Teale, S. A. (2001): Dispersal of *Anoplophora glabripennis* (Cerambycidae). *Environ. Entomol.* 30 (6), S. 1036–1040
- 38) Smith, M. T.; Tobin, P. C.; Bancroft, J.; Li, G.; Gao, R., (2004): Dispersal and Spatiotemporal Dynamics of Asian Longhorned Beetle (Coleoptera: Cerambycidae) in China. *Environ. Entomol.* 33 (2), S. 435–442
- 39) Stefan, M.; Markham, C.; Benjamin, R.; Coath, J. (2014): Case Study. Invasive Insects in Plant Biosecurity: The Asian Longhorned Beetle Eradication Program. Gordon, G. und Simon McKirdy (Hg.): The handbook of plant biosecurity. Principles and practices for the identification, containment and control of organisms that threaten agriculture and the environment globally. Dordrecht: Springer, S. 485–517
- 40) Straw, N. A.; Tilbury, C.; Fielding, N. J.; Williams, D. T.; Cull, T. (2015): Timing and duration of the life cycle of Asian longhorn beetle *Anoplophora glabripennis* (Coleoptera: Cerambycidae) in southern England. *Agr Forest Entomol*
- 41) Sweeney, J. D.; Gutowski, J. M.; Price, J.; Groot, P. (2006): Effect of Semiochemical Release Rate, Killing Agent, and Trap Design on Detection of *Tetropium fuscum* (F.) and Other Longhorn Beetles (Coleoptera: Cerambycidae). *Environ. Entomol.* 35 (3), S. 645–654
- 42) Sweeney, J. D.; Silk, P. J.; Grebennikov, V. (2014): Efficacy of semiochemical-baited traps for detection of longhorn beetles (Coleoptera: Cerambycidae) in the Russian Far East. *Eur. J. Entomol.* 111 (3), S. 397–406
- 43) Tobin, Patrick C.; Kean, John M.; Suckling, D. Max; McCullough, Deborah G.; Herms, Daniel A.; Stringer, Lloyd D. (2014): Determinants of successful arthropod eradication programs. *Biol Invasions* 16, S. 401–414
- 44) Yang, P.H (2005): Review of the Asian Longhorned Beetle: Research, Biology,Distribution and Management in China. Shelterbelt Management and Control of Asian Longhorned Beetle, *Anoplophora glabripennis* in the Three North Region of China. Hg. v. Food and Agriculture Organization of the United Nations. Forestry Department. Roma, Forest Health Working Papers, FBS/6E